

# RW 201

## WATER BASED MATT VARNISH

|                               |                                                                                                                                                    |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>DESCRIPTION</b>            | Water based matt varnish for general purpose use including labels, magazines and packaging.                                                        |
| <b>PROPERTIES</b>             | Good product resistance<br>Good water resistance<br>Low viscosity<br>Transparent<br>Suitable for foil blocking/thermal transfer<br>Water reducible |
| <b>APPLICATION</b>            | Mix well before use<br>Anilox 100 – 140 l/cm<br>Film weight 6-10 g/cm <sup>3</sup><br>Minimum dryer temp 50°C with good air flow                   |
| <b>SUBSTRATES</b>             | Coated paper and board<br>Uncoated paper and board                                                                                                 |
| <b>STORAGE &amp; HANDLING</b> | Store at temperatures between 15°C and 25°C.<br>Protect from frost.<br>In unopened containers RW201 has a shelf life of 12 months.                 |
| <b>PACKAGING</b>              | 5kgs, 25kgs, 125kgs, 1000kgs                                                                                                                       |
| <b>AUXILIARY PRODUCTS</b>     | RLA 321 Wax Paste<br>RLA 322 Defoamer<br>RLA323 Retarder<br>RLA 363 Flexwash Aqua II water based wash up                                           |

### DISCLAIMER

The information contained in this data sheet is correct to the best of our knowledge. It is intended as a guide only for the optimum use of the named product(s) and is not intended as a warranty or as a specification. This datasheet may not be suitable for combinations with other materials or in processes other than those specifically described. The user should always make their own tests to establish that the product(s) meets their requirements.